



55-65 Castleham Road, St Leonards on Sea

East Sussex, TN38 9NU

Customer Services: +44 (0) 1424 856600

T: +44 (0) 1424 856655 F: +44 (0) 1424 856611

E: sales@marshall-tufflex.com

www.marshall-tufflex.com

Sterling Profile 3 EP3M Product Data Sheet

Product Range	Sterling PVCu Profile 3	
Description	167mm x 50mm	
Key Features	3 segregated compartments Suitable for Dado and Skirting applications Tamper Proof Covers Flush Fitting Accessories Up to CAT 7a Compliant EMI Screening options Range of 1-Piece Moulded Fittings Fabricated Flat Angle and Flat Tee Part M Boxes	
Dimensions	167mm x 50mm Profile	
Material(s)	PVCu	
Compliance / Standards(s)	CE & UKCA Marked Low Voltage Directive 2014/35/EU The Electrical Equipment (Safety) Regulations 2016 BS 7671:2018 BS EN 50085-1:2005+A1:2013 BS EN 50085-2-1:2006+A1:2011 IEC 61084-1:2017 IEC 61084-2-1:2017 BS 5733:2010+A1:2014 BS EN 60695-2-11:2014	
Packaging	Recyclable	



Marshall-Tufflex Cable Management systems are suitable for a variety of data category cables. The information in the table below is based on average data cable diameters from a range of cable manufacturers.

In all cases it is recommended to contact the data cable manufacturer to confirm the specification, and minimum bend radius of the data cable prior to installation.

Data Cable Un-Shielded Shielded



DOC02999 Issue 2









Page 1 of 3

CAT5	Up to 10 x Cable Diameter	-	
CAT5e	Up to 10 x Cable Diameter	Up to 7 x Cable Diameter	
CAT6	Up to 8 x Cable Diameter	Up to 7 x Cable Diameter	
CAT6a	Up to 8 x Cable Diameter	Up to 6 x Cable Diameter	
CAT7	-	Up to 6 x Cable Diameter	
CAT7a	-	Up to 6 x Cable Diameter	

We work hard to ensure our products meet the highest standards and are totally committed to the environment and maximising our usage of recycled material within our manufacturing process.



Our PVC-U products are manufactured from an average of 80% recycled plastic, with some extruded products produced from 100% recycled material.

Sterling Trunking is manufactured from PVC-U, a material that is 100% recyclable, is flame retardant and selfextinguishing.

To find out more about the percentage of recycled material used in this product, please visit marshall-tufflex.com

















ENMS 602935

Q05393 EMS 539245 OHS 622466